



Figure 1.14. Measured heat capacities at constant pressure (data points) for one mole each of three different elemental solids. The solid curves show the heat capacity at constant *volume* predicted by the model used in Section 7.5, with the horizontal scale chosen to best fit the data for each substance. At sufficiently high temperatures, C_V for each material approaches the value $3R$ predicted by the equipartition theorem. The discrepancies between the data and the solid curves at high T are mostly due to the differences between C_P and C_V . At $T = 0$ all degrees of freedom are frozen out, so both C_P and C_V go to zero. Data from Y. S. Touloukian, ed., *Thermophysical Properties of Matter* (Plenum, New York, 1970). Copyright ©2000, Addison-Wesley.